

RECHARGEABLE BATTERY AC 4.5



A Phoenix Mecano Brand

Page 1/3 - stand of 03/2013

Rechargeable battery for ACCUCONTROL 4.5. Designed for mobile applications e.g. patient lifter.

- Output voltage: 24 V DC
- Rechargeable battery type: lead gel
- Protection type: max. IP54



Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

Dewert Antriebs- und Systemtechnik GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: <http://www.dewert.de>

RECHARGEABLE BATTERY AC 4.5



DEWERT

A Phoenix Mecano Brand

Page 2/3 - stand of 03/2013

Standard configurations

Performance data

Output voltage	24 V DC
----------------	---------

Components

Colour	light grey RAL 7035
--------	---------------------

Rechargeable battery type	lead gel
---------------------------	----------

Further data

Protection type	max. IP54
-----------------	-----------

Relative humidity	30% - 75%
-------------------	-----------

Ambient temperature	+10°C - +40°C
---------------------	---------------

Capacity	4.5 Ah
----------	--------

Assembly options	mounting rail
------------------	---------------

Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

Dewert Antriebs- und Systemtechnik GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: <http://www.dewert.de>

RECHARGEABLE BATTERY AC 4.5




DEWERT


A Phoenix Mecano Brand

Page 3/3 - stand of 03/2013


Side view



Front view



Top view



Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

Dewert Antriebs- und Systemtechnik GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: <http://www.dewert.de>